



APR 17 1991 WSL

Glen Allen
JCC

RECEIVED
MAY 20 1991
FBI BRANCH

Dear *Alex Kusman*

Due to the lack of qualified salespeople and the lack of supporting businesses we felt there was no alternative but to go silent.

Although the troops are coming back and two surrounding military bases will soon again be lending their support to the community; we realize it will still be some time before other area businesses regain losses and loosens their advertising belts.

Hopefully, this will be temporary situation.

RECEIVED
APR 26 1991

FBI
SECTION

CC: SMN
NCRM
JCC
RAB
Village Sports

111-10-100 237

FEDERAL COMMUNICATIONS COMMISSION
WASHINGTON, D.C. 20554

14 MAY 1991

IN REPLY REFER TO:
8920-GDG

Dennis F. Begley, Esq.
Reddy, Begley & Martin
2033 M Street, N.W.
Washington, D.C. 20036

In re: WJCS (FM) Bayboro, North Carolina
Request for Special Temporary
Authorization


Dear Mr. Begley:

This letter concerns your request, filed April 24, 1991 on behalf of Spartan Broadcasting, Inc., for temporary authorization to permit FM Station WJCS to remain silent.

Your letter notes that the licensee ceased on-air operations on March 20, 1991 "due to financial difficulties." In an effort to resolve its problems, Spartan Broadcasting "has entered into an agreement with Atlantic Broadcasting, Inc. whereby Atlantic will acquire the license of Station WJCS." That application (File No. BALH-910415HI) is currently pending before the Commission's staff.

Accordingly, special temporary authority is granted for the period April 21-July 21, 1991 to permit FM Station WJCS to remain silent. Please note that any prescribed tower lighting must be maintained during this period, and that no extension of this authority is contemplated absent detailed substantial progress towards resolving the station's problems.

Sincerely,



for
Dennis Williams
Chief, FM Branch
Audio Services Division
Mass Media Bureau

cc: EIC Norfolk

GDGreisman: FM Branch

GREEN

RECEIVED

APR 23 1991

LAW OFFICES
REDDY, BEGLEY & MARTIN

2033 M STREET N.W.
WASHINGTON, D.C. 20036
(202) 659-5700

Federal Communications Commission
Office of the Secretary

EDWARD B. REDDY
(1915-1990)

COUNSEL
ROBERT W. HEALY

TELE COPIER NUMBER
(202) 659-5711

DENNIS F. BEGLEY
HARRY C. MARTIN
MATTHEW H. MCCORMACK
CHERYL A. KENNY
TROY F. TANNER
ANDREW S. KERSTING

APR 24 2 31 PM '91

ACK
COPIES

April 23, 1991

RECEIVED

APR 25 1991

FM BRANCH

Ms. Donna R. Searcy, Secretary
Federal Communications Commission
Washington, DC 20554

Re: Station WJCS(FM)
Bayboro, North Carolina


Dear Ms. Searcy:

On March 20, 1991, Spartan Broadcasting, Inc., licensee of Station WJCS(FM), Bayboro, North Carolina, was forced to take Station WJCS off the air due to financial difficulties. Spartan has entered into an agreement with Atlantic Broadcasting, Inc. whereby Atlantic will acquire the license of Station WJCS. An application for Commission consent to assign the license of Station WJCS to Atlantic Broadcasting, Inc. was filed with the Commission on April 12, 1991.

Accordingly, in order to permit the Commission time to consider the application for assignment of the WJCS license, it is requested that the Commission grant Spartan Broadcasting, Inc. authority to remain silent for a period of ninety days.

Should any questions arise in connection with this matter, please communicate directly with this office.

Very truly yours,



DENNIS F. BEGLEY
Counsel for
SPARTAN BROADCASTING, INC.

Enclosure

239

United States of America

FEDERAL COMMUNICATIONS COMMISSION



FM BROADCAST STATION LICENSE

Official Mailing Address:

SPARTAN BROADCASTING, INC.
P. O. BOX 727
BAYBORO, NC 28515

Authorizing Official:

Wilma F. Anderson
Wilma F. Anderson

Supr Applications Examiner, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date: January 17, 1991

Call sign: WJCS

This license expires 3:00 am.
local time: December 01, 1995

License File No.: BLH-900406KC

This license covers Permit No.: BPH-860918MU
as modified by Permit No.: BMPH-890714IC

This authorization re-issued to reflect a change in official mailing
address effective 4/22/91

Subject to the provisions of the Communications Act of 1934,
subsequent acts and treaties, and all regulations heretofore or
hereafter made by this Commission, and further subject to the
conditions set forth in this license, the licensee is hereby
authorized to use and operate the radio transmitting apparatus herein
described.

This license is issued on the licensee's representation that the
statements contained in licensee's application are true and that the
undertakings therein contained so far as they are consistent herewith,
will be carried out in good faith. The licensee shall, during the term
of this license, render such broadcasting service as will serve the
public interest, convenience, or necessity to the full extent of the
privileges herein conferred.

This license shall not vest in the licensee any right to operate the
station nor any right in the use of the frequency designated in the
license beyond the term hereof, nor in any other manner than
authorized herein. Neither the license nor the right granted hereunder
shall be assigned or otherwise transferred in violation of the
Communications Act of 1934. This license is subject to the right of
use or control by the Government of the United States conferred by
Section 606 of the Communications Act of 1934.

Name of Licensee:

THERESA SCHREIBER

Call sign: WJCS

License No.: BLH-900406KC

Station Location:

NC-BAYBORO

Frequency (MHz): 97.9

Channel: 250

Class: A

Hours of Operation: Unlimited

Main Studio Address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter location (address or description):

NC-HIGHWAY 55, 3.2 KILOMETERS WEST OF HIGHWAY 306,
GRANTSBORO.

Remote control point address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670
of the Commission's Rules.

Transmitter output power (kW): 7.2

Antenna type: (directional or non-directional): Non-directional

Desc: ERI FM-H ONE SECTION ANTENNA, CIRCULARLY POLARIZED, SIDE-
MOUNTED ON A GUYED STEEL TOWER.

Antenna coordinates: North Latitude: 35 07 55.0
West Longitude: 76 52 32.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	2.75	2.75
Height of radiation center above ground (meters) :	102.0	102.0

Height of radiation center above
mean sea level (meters) : 110.0 110.0

Height of radiation center above
average terrain (meters) : 104.0 104.0

Overall height of antenna structure above ground (including obstruction
lighting, if any) : 193.0 meters

Obstruction marking and lighting specifications for antenna
structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 5.0, FCC Form 715 (March 1978):

At approximately two-fifths of the over-all height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of this beacon from aircraft at any normal angle of approach. In the event this beacon cannot be installed in a manner to insure unobstructed visibility of it from aircraft at any normal angle of approach, there shall be installed two such beacons. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

Paragraph 14.0, FCC Form 715 (March 1978):

On levels at approximately four-fifths, three-fifths and one-fifth of the over-all height of the tower, at least one 116- or 125-watt lamp (A21/TS) enclosed in an aviation red obstruction light globe shall be installed on each outside corner of the structure.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION LICENSE



Official Mailing Address:

THERESA SCHREIBER
8843 HAWTHORNE AVENUE
SURFSIDE, FL 33154

Authorizing Official:

Dale E. Bickel
Supervisory Engineer, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date:

17 105 1991

Call sign: WJCS

This license expires 3:00 am.
Local time: December 01, 1995

License File No.: BLH-900406KC

This license covers Permit No.: BPH-860918MU
as modified by Permit No.: BMPH-8907141C

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Name of Licensee:

THERESA SCHREIBER

Station Location:

NC-BAYBORO

Call sign: WJCS

License No.: BLH-900406KC

Frequency (MHz): 97.9

Channel: 250

Class: A

Hours of Operation: Unlimited

Main Studio Address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter location (address or description):

NC-HIGHWAY 55, 3.2 KILOMETERS WEST OF HIGHWAY 306,
GRANTSBORO.

Remote control point address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670
of the Commission's Rules.

Transmitter output power (kW): 7.2

Antenna type: (directional or non-directional): Non-directional

Desc: ERI FM-H ONE SECTION ANTENNA, CIRCULARLY POLARIZED, SIDE-
MOUNTED ON A GUYED STEEL TOWER.

Antenna coordinates: North Latitude: 35 07 55.0
West Longitude: 76 52 32.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	2.75	2.75
Height of radiation center above ground (meters) :	102.0	102.0
Height of radiation center above mean sea level (meters) :	110.0	110.0

Height of radiation center above
average terrain (meters) : 104.0 104.0

Overall height of antenna structure above ground (including obstruction
lighting, if any) : 193.0 meters

Obstruction marking and lighting specifications for antenna
structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 5.0, FCC Form 715 (March 1978):

At approximately two-fifths of the over-all height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of this beacon from aircraft at any normal angle of approach. In the event this beacon cannot be installed in a manner to insure unobstructed visibility of it from aircraft at any normal angle of approach, there shall be installed two such beacons. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

Paragraph 14.0, FCC Form 715 (March 1978):

On levels at approximately four-fifths, three-fifths and one-fifth of the over-all height of the tower, at least one 116- or 125-watt lamp (A21/TS) enclosed in an aviation red obstruction light globe shall be installed on each outside corner of the structure.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

United States of America

FEDERAL COMMUNICATIONS COMMISSION

FM BROADCAST STATION LICENSE



Official Mailing Address:

THERESA SCHREIBER
8843 HAWTHORNE AVENUE
SURFSIDE, FL 33154

Authorizing Official: 7

Dale E. Bickel
Supervisory Engineer, FM Branch
Audio Services Division
Mass Media Bureau

Grant Date:

Call sign: WJCS

This license expires 3:00 am.
local time: December 01, 1995

License File No.: BLH-900406KC

This license covers Permit No.: BPH-860918MU
as modified by Permit No.: BMPH-890714IC

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Name of Licensee:

THERESA SCHREIBER

Station Location:

NC-BAYBORO

Call sign: WJCS

License No.: BLH-900406KC

Frequency (MHz): 97.9

Channel: 250

Class: A

Hours of Operation: Unlimited

Main Studio Address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter location (address or description):

NC-HIGHWAY 55, 3.2 KILOMETERS WEST OF HIGHWAY 306,
GRANTSBORO.

Remote control point address:

NC-HOOKERLAND SHOPPING CENTER, HIGHWAY 55 WEST, BAYBORO.

Transmitter: Type accepted. See Sections 73.1650, 73.1665 and 73.1670
of the Commission's Rules.

Transmitter output power (kW): 7.2

Antenna type: (directional or non-directional): Non-directional

Desc: ERI FM-H ONE SECTION ANTENNA, CIRCULARLY POLARIZED, SIDE-
MOUNTED ON A GUYED STEEL TOWER.

Antenna coordinates: North Latitude: 35 07 55.0
West Longitude: 76 52 32.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW) :	2.75	2.75
Height of radiation center above ground (meters) :	102.0	102.0
Height of radiation center above mean sea level (meters) :	110.0	110.0

Call sign: WJCS

License No.: BLH-900406KC

Height of radiation center above
average terrain (meters) : 104.0 104.0

Overall height of antenna structure above ground (including obstruction
lighting, if any) : 193.0 meters

Obstruction marking and lighting specifications for antenna
structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

Paragraph 1.0, FCC Form 715 (March 1978):

Antenna structures shall be painted throughout their height with alternate bands of aviation surface orange and white, terminating with aviation surface orange bands at both top and bottom. The width of the bands shall be equal and approximately one-seventh the height of the structure, provided however, that the bands shall not be more than 100 feet nor less than 1 and 1/2 feet in width. All towers shall be cleaned and repainted as often as necessary to maintain good visibility.

Paragraph 3.0, FCC Form 715 (March 1978):

There shall be installed at the top of the structure one 300 m/m electric code beacon equipped with two 620- or 700-watt lamps (PS-40, Code Beacon type), both lamps to burn simultaneously, and equipped with aviation red color filters. Where a rod or other construction of not more than 20 feet in height and incapable of supporting this beacon is mounted on top of the structure and it is determined that this additional construction does not permit unobstructed visibility of the code beacon from aircraft at any normal angle of approach, there shall be installed two such beacons positioned so as to insure unobstructed visibility of at least one of the beacons from aircraft at any normal angle of approach. The beacons shall be equipped with a flashing mechanism producing not more than 40 flashes per minute nor less than 12 flashes per minute with a period of darkness equal to approximately one-half of the luminous period.

Paragraph 5.0, FCC Form 715 (March 1978):

At approximately two-fifths of the over-all height of the tower one similar flashing 300 m/m electric code beacon shall be installed in such position within the tower proper that the structural members will not impair the visibility of this beacon from aircraft at any normal angle of approach. In the event this beacon cannot be installed in a manner to insure unobstructed visibility of it from aircraft at any normal angle of approach, there shall be installed two such beacons. Each beacon shall be mounted on the outside of diagonally opposite corners or opposite sides of the tower at the prescribed height.

Paragraph 14.0, FCC Form 715 (March 1978):

On levels at approximately four-fifths, three-fifths and one-fifth of the over-all height of the tower, at least one 116- or 125-watt lamp (A21/TS) enclosed in an aviation red obstruction light globe shall be installed on each outside corner of the structure.

Paragraph 21.0, FCC Form 715 (March 1978):

All lighting shall burn continuously or shall be controlled by a light sensitive device adjusted so that the lights will be turned on at a north sky light intensity level of about 35 foot candles and turned off at a north sky light intensity level of about 58 foot candles.

Paragraph 22.0, FCC Form 715 (March 1978):

During construction of an antenna structure, for which obstruction lighting is required, at least two 116- or 125-watt lamps (A21/TS) enclosed in aviation red obstruction light globes, shall be installed at the uppermost point of the structure. In addition, as the height of the structure exceeds each level at which permanent obstruction lights will be required, two similar lights shall be displayed nightly from sunset to sunrise until the permanent obstruction lights have been installed and placed in operation, and shall be positioned so as to insure unobstructed visibility of at least one of the lights at any normal angle of approach. In lieu of the above temporary warning lights, the permanent obstruction lighting fixtures may be installed and operated at each required level as each such level is exceeded in height during construction.

SEP 19 10 30 AM '90

PATTON, BOGGS & BLOW
2550 M STREET, N.W.
WASHINGTON, D.C. 20037
(202) 457 6000

TRT TELEX: 197780
TELECOPIER: 457 635

FM RECEIVED

SEP 12 1990

Federal Communications Commission
Office of the Secretary

WRITER'S DIRECT DIA.

September 12, 1990

(202) 457-6313

BY HAND

Ms. Donna R. Searcy
Secretary
Federal Communications Commission
Room L-18
1919 M Street, N.W.
Washington, D.C. 20554

Re: BAPH900716HJ

Dear Ms. Searcy:

Enclosed you will find an amendment and two copies to the above-referenced application. Please contact me if I can provide any additional information.

Sincerely yours,

Penelope S. Farthing
Penelope S. Farthing

PSF/jed
Enclosures

cc: Molly Fitzgerald
Room 712, FCC
w/enclosure

RECEIVED

SEP 12 1990

Federal Communications Commission
Office of the Secretary


SEP 19 10 38 AM '90

AMENDMENT TO BAPH 900716HJ

My attorney informs me that Commission staff have instructed me to remove Edward Bolding, Jr. as general manager of WJCS. This is to advise you that I have appointed a new general manager, effective September 6, 1990, and have posted a notice containing this information at the station.

Mr. Edward Bolding, Jr. was employed as a board operator at the station and agreed to assume the general manager position when on July 16 I was forced to fire the incumbent general manager for reasons which my attorney explained to Commission staff. The circumstances were clearly exceptional and the situation compelled me to take prompt action.

Decisions made and policies followed at WJCS are and have been mine. Each general manager who has worked at the station has reported to me and the policy decisions there have been mine. No unauthorized transfer has occurred. I am committed to carrying out my responsibilities conscientiously.


Theresa Schreiber

September 10, 1990

RECEIVED


SEP 12 1990

Federal Communications Commission
Office of the SecretaryAMENDMENT TO BAPH 900716HJ

My attorney informs me that Commission staff have instructed me to remove Edward Bolding, Jr. as general manager of WJCS. This is to advise you that I have appointed a new general manager, effective September 6, 1990, and have posted a notice containing this information at the station.

Mr. Edward Bolding, Jr. was employed as a board operator at the station and agreed to assume the general manager position when on July 16 I was forced to fire the incumbent general manager for reasons which my attorney explained to Commission staff. The circumstances were clearly exceptional and the situation compelled me to take prompt action.

Decisions made and policies followed at WJCS are and have been mine. Each general manager who has worked at the station has reported to me and the policy decisions there have been mine. No unauthorized transfer has occurred. I am committed to carrying out my responsibilities conscientiously.



Theresa Schreiber

September 10, 1990

RECEIVED

SEP 12 1990

Federal Communications Commission
Office of the SecretaryAMENDMENT TO BAPH 900716HJ

My attorney informs me that Commission staff have instructed me to remove Edward Bolding, Jr. as general manager of WJCS. This is to advise you that I have appointed a new general manager, effective September 6, 1990, and have posted a notice containing this information at the station.

Mr. Edward Bolding, Jr. was employed as a board operator at the station and agreed to assume the general manager position when on July 16 I was forced to fire the incumbent general manager for reasons which my attorney explained to Commission staff. The circumstances were clearly exceptional and the situation compelled me to take prompt action.


Decisions made and policies followed at WJCS are and have been mine. Each general manager who has worked at the station has reported to me and the policy decisions there have been mine. No unauthorized transfer has occurred. I am committed to carrying out my responsibilities conscientiously.



Theresa Schreiber

September 10, 1990

STATE OF NORTH CAROLINA



10-505(F) CP
1111
Department of The
Secretary of State

To all whom these presents shall come, Greeting:

I, Rufus L. Edmisten, Secretary of State of the State of North Carolina, do hereby certify the following and hereto attached (3 sheets) to be a true copy of

ARTICLES OF INCORPORATION
OF
SPARTAN BROADCASTING, INC.

the original of which is now on file and a matter of record in this office.

In Witness Whereof, I have hereunto set my hand and affixed my official seal.

ARTICLES OF INCORPORATION
OF
SPARTAN BROADCASTING, INC.

I, the undersigned natural person of the age of eighteen years or more, hereby do make and acknowledge these Articles of Incorporation for the purpose of forming a business corporation under and by virtue of the laws of the State of North Carolina as contained in Chapter 55 of the General Statutes of North Carolina, entitled "Business Corporation Act," and the several amendments thereto, and to that end hereby do set forth:

1. The name of the corporation is Spartan Broadcasting, Inc.

2. The period of duration of the corporation is perpetual.

3. The purposes for which the corporation is organized are:

(a) To operate and engage in the wholesale and retail sale of real and personal property of all types.

(b) To operate and engage in the business of renting and leasing real and personal property of all types.

(c) To operate and engage in the business of providing services of all types without limitation.

(d) To operate and engage in the business of manufacturing goods and products of all types and kinds.

(e) To operate and engage in the business of making investments in and the developing of real and personal property of all types.

(f) To operate and engage in any directly, indirectly, horizontally or vertically related business, enterprise or venture.

(g) To engage in any lawful act or activity for which corporations may be organized under Chapter 55 of the General Statutes of North Carolina.

4. The corporation shall have authority to issue 100,000 shares of common stock with a par value of \$1.00 per share.

5. The minimum amount of consideration to be received by the corporation for its shares before it shall commence business is \$1.00 in cash or property of equivalent value.

6. The shareholders of the corporation shall have no preemptive right to acquire additional or treasury shares of the corporation.

7. The address of the initial registered office of the corporation is 1001 College Court, New Bern, Craven County, North Carolina 28560; and the name of the initial registered agent at such address is Rodney A. Currin.

8. The number of directors of the corporation may be fixed by the bylaws.


The number of directors constituting the initial board of directors shall be two and the names and addresses of the persons who shall serve as directors until the first meeting of shareholders, or until successors shall be elected and qualified, are as follows:

<u>Name</u>	<u>Address</u>
Christopher A. Burke	5 Annabelle Lane Florham Park, NJ 07932
Edward L. Bolding, Jr.	13812 Cypress Village Circle Tampa, FL 33624

9. The name and address of the incorporator are Rodney A. Currin, 1001 College Court, New Bern, North Carolina, 28560.

10. In addition to the general powers granted corporations under the laws of the State of North Carolina, the corporation shall have full power and authority to do any and all lawful acts of any nature whatsoever.

IN TESTIMONY WHEREOF, I have hereunto set my hand, this the 4th day of January, A.D. 1990.




Rodney A. Currin

STATE OF NORTH CAROLINA

COUNTY OF Craven

THIS IS TO CERTIFY that on the 4th day of January, A.D. 1990, before me, a Notary Public, personally appeared RODNEY A. CURRIN, who I am satisfied is the person named in and who executed the foregoing Articles of Incorporation, and I having first made known to him the contents thereof, he did acknowledge that he signed and delivered the same as his voluntary act and deed for the uses and purposes therein expressed.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal, this the 4th day of January, A.D. 1990.



My Commission Expires:

11-15-93

WARD AND SMITH, P.A., ATTORNEYS AT LAW

90-0003(A)
5PRG
1/4/90
90-01-00413

FEDERAL COMMUNICATIONS COMMISSION
WASHINGTON, D.C. 20554

SEP 26 1990

IN REPLY REFER TO:

8700

SPARTAN BROADCASTING, INC.
P.O. BOX 727 HIGHWAY 55
BAYBORO, NC , 28215

Call Letters : WJCS (FM)
Date Granted : SEP 17 1990
File Number(s): BAPH-900716HJ

NOTICE TO ASSIGNEE:

Enclosed is FCC Form 732 notifying you of Commission consent to the assignment of the construction permit and/or license of the station(s) therein described. Voluntary assignments are required to be completed within sixty (60) days of the date granted.

In addition to the filing the below mentioned FCC Form 323, you are required to immediately notify this office (8700), by letter, as to the exact date of the consummation; that is, the date on which the acts necessary to effect the assignment was completed.

Within thirty (30) days after the consummation of the transfer it will be necessary for you to submit an Ownership Report (FCC Form 323) reporting all changes as required by Section 1.615 of the Rules. Where applicable, a separate Ownership Report should also be completed and submitted for any holding company (25% or greater ownership interest) of the licensee/permittee. Contractual information required by Section 1.613 should be reported for the assignee in Item 6, page one of the Ownership Report and copies of each instrument should be submitted with the report. If this is an involuntary assignment that was a result of a death or court action, an Ownership Report must be filed to determine that all requirements of the Rules have been met and reported.

In the event the assignee is the licensee/permittee of another station and has a current Ownership Report on file, you may complete and file only page one of FCC Form 323 to reflect the acquisition of the station(s) listed above. FCC Form 323 is enclosed for the convenience in filing. Instructions for completing the report are on the reverse side.

It is of the utmost importance that all Commission correspondence comes to the immediate attention of the permittee or licensee. Only one mailing address can be maintained for each station. Unless we hear from you to the contrary, the above address will be used as your permanent mailing address.

If the assignor has any applications pending before the Commission, these applications must be amended to reflect the name of the assignee. Upon consummation of the assignment, amendments to each application must be filed by the assignee, in triplicate, signed by the proper party (see Section 1.513 of the Rules). Further processing of these applications will be withheld pending receipt of the amendment.

Chief, FM Branch
Mass Media Bureau

Enclosures
cc: Ownership